FIGURE 1

Binding of ¹⁵³Gd-DO3A-APA-(α)-folate, ¹⁵³Gd-DO3A-APA-(γ)- folate or ³H folate to KB cells at 37°C





FIGURE 1A

Binding of ¹⁵³Gd-folates or ³H folate to JAR cells at 37°C (10 pmol of radiolabeled compound plus 0 to 900 pmol of cold folate)



Binding of 'H-folate and alpha or gamma isomer of "Gd-DO3A-APA-folate to KB cells at 4°C in the presence and absence of excess folate.

Figure 2




FIGURE 3

Washout of ¹⁵³Gd(DO3A-APA)-(α- or γ-)folate or ³H-folate from JAR cells




FIGURE 3A

Washout of ¹⁵³Gd(DO3A-APA)-(α- or γ-)folate or ³H-folate from KB cells




Figure 4

Binding of ³H-folate and alpha or gamma isomer of ^{99m}Tc-0xa-folate to KB cells at 4°C in the presence and absence of excess folate.






FIGURE 4A

Exchange (with 250 nm cold folate in the medium)
of folates from KB cells





FIGURE 4B

Exchange (with 250 nm cold folate in the medium) of folates from JAR cells



3a

ButO₂C

3

1

CO,tBu

FIGURE 5A

ButO₂C
$$CO_2H$$
 CO_2H CO_2 tBu CO_2 tBu

FIGURE 6A

12a

FIGURE 7A

24a: R=H 24b: R=CH₃

.

15a: R=H 15b: R=CH₃ 25

26a: R=H 26b: R=CH₃ 27a: R=H 27b: R=CH₃

OBn OBn
$$C_2H_5O$$
 P OCH_2Ph OC

30a: R=H 30b: R=CH₃

FIGURE 14A

$$O_2N$$
 O_2N
 O_2N

FIGURE 17A

FIGURE 17B

53b: X= Phthalimido

HOOC NH HN NH₂